

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

This listing of claims replaces all prior versions, and listings of claims in the instant application:

Listing of Claims:

1. (Currently Amended) A method for notifying one or more listeners of an event in a Meta ~~Object Object~~ Facility (MOF) repository, the event having an event type and an event sub-type, the method including:

- creating an event object for the event, the event object corresponding to the event sub-type;
- calling a method for each of the listeners registered for vetoable event notification for the event type by passing said event object to listeners described in an event source interface corresponding to the event type, said method for each of the listeners registered for vetoable event notification implemented by each listener;
- ending said method for notifying if a veto is received from any of said listeners registered for vetoable event notification;
- performing the event, only if said veto is not received wherein performing the event comprises making a change in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification; and
- calling a method for each of the listeners registered for event notification for the event type, only if said veto is not received, by passing said event object to listeners described in an event source interface corresponding to the event type, said method for each of the listeners registered for event notification implemented by each listener.

GUNNISON, MCKAY &
HODGSON, LLP
Gordon Webb Office Plaza
1900 Concha Road, Suite 220
Monterey, CA 93940
(831) 655-0880
Fax (831) 655-0888

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

2. (Previously Presented) The method of claim 1, wherein a listener registers for event notification by passing a registration call to a class implemented by the MOF repository designed to track listener registrations in said event source interface corresponding to the event type.

3. (Previously Presented) The method of claim 2, wherein said class implemented by the MOF repository corresponds only to the event type.

4. (Previously Presented) The method of claim 2, wherein said class implemented by the MOF repository maintains a record of which listener is registered for notification of which events.

5. (Original) The method of claim 1, wherein the event type is a class, instance, or association.

6. (Original) The method of claim 1, further including calling a method for each of the listeners registered for event notification for the event sub-type by passing the event object to event sub-type listeners as indicated by a bitmask in a combination event source interface, the method for each of the listeners registered for event notification implemented by each listener, wherein a listener registers for event notification for an event type by setting a bit corresponding to the event sub-type in a combination event source interface.

7. (Cancelled)

8. (Previously Presented) The method of claim 1, wherein a listener registers for vetoable event notification by passing a registration call to a class implemented by the MOF

GUNNISON, MCKAY &
HODGSON, LLP.
Candle Walk Office Plaza
1900 Geneva Road, Suite 220
Menlo Park, CA 94025
(415) 655-0888
Fax (415) 655-0888

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

repository designed to track listener registrations in said event source interface corresponding to the event type.

9. (Previously Presented) The method of claim 8, wherein said class implemented by the MOF repository corresponds only to the event type.

10. (Original) The method of claim 8, wherein said class implemented by the MOF maintains a record of which listener is registered for notification of which events.

11. (Previously Presented) The method of claim 1, further including:

calling a method for each of the listeners registered for vetoable event notification for the event sub-type by passing the event object to event sub-type listeners as indicated by a bitmask in a combination event source interface, the method for each of the listeners registered for vetoable event notification implemented by each listener, wherein a listener registers for vetoable event notification for an event type by setting a bit corresponding to the event sub-type in a combination event source interface.

12. (Currently Amended) A method for notifying one or more listeners of an event in a Meta ObjectObject Facility (MOF) repository, the event having an event type and an event sub-type, the method including:

creating an event object for the event, the event object corresponding to the event sub-type wherein said event type is included in a plurality of event types including an instance event, a class event, an association event, and a combination of events in said MOF repository

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

wherein said MOF repository is based on a Meta Object Facility Specification;

performing the event wherein performing the event comprises making a change in said MOF repository; and

calling a method for each of the listeners registered for event notification for the event sub-type by passing the event object to listeners described in an event source interface corresponding to the event type, the method for each of the listeners registered for event notification implemented by each listener.

13. (Currently Amended) A method for registering for event notification of an event in a Meta Object ~~Object~~ Facility (MOF) repository, the event having an event type, the method including:

implementing a method for event notification corresponding to the event type; and

passing a registration call to a class, implemented by the MOF repository, designed to track listener registrations in an event source interface corresponding to the event type wherein said event type is included in a plurality of event types including an instance event, a class event, an association event, and a combination of events in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification.

14. (Cancelled)

15. (Cancelled)

16. (Cancelled)

17. (Cancelled)

GUNNISON, MCKAY &
HODGSON, L.L.P.
Garden West Office Plaza
1900 Garden Road, Suite 220
Monterey, CA 93940
(831) 655-0880
Fax (831) 655-0888

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

18. (Cancelled)

19. (Cancelled)

20. (Cancelled)

21. (Cancelled)

22. (Cancelled)

23. (Cancelled)

24. (Currently Amended)) An apparatus for registering for event notification of an event in a Meta ObjectObjeet Faciltiy (MOF) repository, the event having an event type, the apparatus including:

a listener interface implementing a method for event notification corresponding to the event type; and

means for passing a registration call to a class implemented by the MOF repository designed to track listener registrations in an event source interface corresponding to the event type wherein said event type is included in a plurality of event types including an instance event, a class event, an association event, and a combination of events in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification.

25. (Cancelled)

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

26. (Currently Amended) An apparatus for notifying one or more listeners of an event in a Meta ~~Object Object~~ Facility (MOF) repository, the event having an event type and an event sub-type, the apparatus including:

means for creating an event object for the event, the event object corresponding to the event sub-type;

means for calling a method for each of the listeners registered for vetoable event notification for the event type by passing said event object to listeners described in an event source interface corresponding to the event type, said method for each of the listeners registered for vetoable event notification implemented by each listener; and

means for ending said method for notifying if a veto is received from any of said listeners registered for vetoable event notification;

means for performing the event, only if said veto is not received wherein performing the event comprises making a change in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification; and

means for calling a method for each of the listeners registered for event notification for the event type, only if said veto is not received, by passing said event object to listeners described in an event source interface corresponding to the event type, said method for each of the listeners registered for event notification implemented by each listener.

27. (Previously Presented) The apparatus of claim 26, wherein a listener registers for event notification by passing a registration call to a class, implemented by the MOF repository, designed to track listener registrations in said event source interface corresponding to the event type.

GUNNISON, McKay &
HODGSON, LLP
Garden West Office Plaza
1500 Garden Road, Suite 220
Menlo Park, CA 94025
(415) 655-0888
Fax (415) 655-0888

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

28. (Previously Presented) The apparatus of claim 27, wherein said class implemented by the MOF repository corresponds only to the event type.

29. (Previously Presented) The apparatus of claim 27, wherein said class implemented by the MOF repository maintains a record of which listener is registered for notification of which events.

30. (Original) The apparatus of claim 26, wherein the event type is a class, instance, or association.

31. (Original) The apparatus of claim 26, further including means for calling a method for each of the listeners registered for event notification for the event sub-type by passing the event object to event sub-type listeners as indicated by a bitmask in a combination event source interface, the method for each of the listeners registered for event notification implemented by each listener, wherein a listener registers for event notification for an event type by setting a bit corresponding to the event sub-type in a combination event source interface.

32. (Cancelled)

33. (Previously Presented) The apparatus of claim 26, wherein a listener registers for vetoable event notification by passing a registration call to a class implemented by the MOF designed to track listener registrations in said event source interface corresponding to the event type.

GUNNISON, MCKAY &
HODGSON, L.L.P.
Gardens West Office Plaza
1900 Gardens Road, Suite 220
Menlo Park, CA 94025
(650) 655-0888
Fax (650) 655-0888

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

34. (Previously Presented) The apparatus of claim 26, wherein said class implemented by the MOF repository corresponds only to the event type.

35. (Previously Presented) The apparatus of claim 33, wherein said class implemented by the MOF repository maintains a record of which listener is registered for notification of which events.

36. (Previously Presented) The apparatus of claim 26, further including:

means for calling a method for each of the listeners registered for vetoable event notification for the event sub-type by passing the event object to event sub-type listeners as indicated by a bitmask in a combination event source interface, the method for each of the listeners registered for vetoable event notification implemented by each listener, wherein a listener registers for vetoable event notification for an event type by setting a bit corresponding to the event sub-type in a combination event source interface.

37. (Currently Amended) An apparatus for notifying one or more listeners of an event in a Meta ObjectObjeet Facility (MOF) repository, the event having an event type and an event sub-type, the apparatus including:

creating an event object for the event, the event object corresponding to the event sub-type wherein said event type is included in a plurality of event types including an instance event, a class event, an association event, and a combination of events in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification;

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

performing the event wherein performing the event comprises making a change in said MOF repository; and calling a method for each of the listeners registered for event notification for the event sub-type by passing the event object to listeners described in an event source interface corresponding to the event type, the method for each of the listeners registered for event notification implemented by each listener.

38. (Currently Amended) An apparatus for registering for event notification of an event in a Meta Object ~~Object~~ Facility (MOF) repository, the event having an event type, the apparatus including:

means for implementing a method for event notification corresponding to the event type; and

means for passing a registration call to a class, implemented by the MOF repository, designed to track listener registrations in an event source interface corresponding to the event type wherein said event type is included in a plurality of event types including an instance event, a class event, an association event, and a combination of events in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification.

39. (Cancelled)

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

40. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for notifying one or more listeners of an event in a Meta ~~Object~~ ~~Object~~ Facility (MOF) repository, the event having an event type and an event sub-type, the method including:

creating an event object for the event, the event object corresponding to the event sub-type;

calling a method for each of the listeners registered for vetoable event notification for the event type by passing said event object to listeners described in an event source interface corresponding to the event type, said method for each of the listeners registered for vetoable event notification implemented by each listener;

ending said method for notifying if a veto is received from any of said listeners registered for vetoable event notification;

performing the event, only if said veto is not received wherein performing the event comprises making a change in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification; and

calling a method for each of the listeners registered for event notification for the event type, only if said veto is not received, by passing said event object to listeners described in an event source interface corresponding to the event type, said method for each of the listeners registered for event notification implemented by each listener.

41. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for notifying one or more listeners of an event in a Meta

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

Object Object Facility (MOF) repository, the event having an event type and an event sub-type, the method including:

creating an event object for the event, the event object corresponding to the event sub-type wherein said event type is included in a plurality of event types including an instance event, a class event, an association event, and a combination of events in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification;

performing the event wherein performing the event comprises making a change in said MOF repository; and

calling a method for each of the listeners registered for event notification for the event sub-type by passing the event object to listeners described in an event source interface corresponding to the event type, the method for each of the listeners registered for event notification implemented by each listener.

42. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for registering for event notification of an event in a Meta Object Object Facility (MOF) repository, the event having an event type, the method including:

implementing a method for event notification corresponding to the event type; and

passing a registration call to a class implemented by the MOF designed to track listener registrations in an event source interface corresponding to the event type wherein said event type is included in a plurality of event types including an instance event, a class event, an association event, and a combination of events in said MOF repository wherein said MOF repository is based on a Meta Object Facility Specification.

Appl. No. 10/072,693
Amdt. dated August 31, 2006
Reply to Office Action of July 12, 2006

43. (Cancelled)

GUNNISON, MCKAY &
HODGSON, LLP
Golden West Office Plaza
1900 Garden Road, Suite 220
Menlo Park, CA 94025
(415) 655-0888
Fax (415) 655-0888

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.